

"McKerney, Katy" <Katy_McKerney@dec.state. ak.us>

07/03/2006 06:33 PM

To Margo Young/R10/USEPA/US@EPA

CC

bcc

Subject Northern Victor Pile Remediation-Follow-up-Enforcement

For Follow Up:

Normal Priority

History:

This message has been forwarded.

Hi Margo,

I have reviewed the faxed pile removal information that you sent.

I have learned(but have no paperwork to verify) that Magone Marine Service, Inc. removed a waste pile of Royal Aleutians a few years ago. Royal Aleutian had apparently exceeded their one acre ZOD and were told they had to remove the pile. Thus, Maggone has reportedly done this before and I suspect their proposal reflects this.

In order to violate the turbidity water quality standards during a pile removal process, Icicle Seafoods has to apply to ADEC (can address this to me) for a short-term variance. I am attaching the language from the Standards that they should have to write the request.

The proposal looks fine although ADEC would like to discuss with EPA and the facility the dumping site and see a bathymetric map of the proposed area for dumping. This should be submitted in the request for a short-term variance. In addition, ADEC would like as much video with explanation of the pile removal steps and/or in the report, a good picture log with good captions explaining the steps. All key steps of the pile removal process should be in the report along with the photos of the pre-dredge and post dredge site. I will be out of town from the 6th through the 14th but if you should need me you can call my cell..907-957-1056. - katy

<<WQS short term variance language.TIF>>

Katy McKerney
Alaska Department of Environmental Conservation
Permitter, Inspector, Enforcement and Compliance for
Alaskan Seafood Industrial Discharges
907-465-5302

940

Fax: 907-465-5274 WQS short term variance language. TIF